



Aks Solutions

Work Optimizing Solutions at Your Door Step!

Reseller & Stockiest for
 **iSmart**



Smart-30 Series PVC Card Printers



SMART-30 Series *is Value for Everyone!*

Smart 30S (Single Sided Card Printer)

Smart 30D (Dual Sided Card Printer)



Smart-30 Series PVC Card Printers



Smart 30S is Value for Everyone!

Smart30S

Single Sided Plastic Card Printer



SMART-30S printer produces full-color or monochrome cards in moment and it is ideal solution to print ID cards on demand or in volume

Aks Solutions – Work Optimizing Solutions at Your Door Step!



Smart-30 Series PVC Card Printers



Smart 30D is Value for Everyone!



Smart 30D

Dual Sided Plastic Card Printer

SMART-30D printer produces full-color or monochrome cards in moment and it is ideal solution to print ID cards on demand or in volume on both sides of the card at a time

Aks Solutions – Work Optimizing Solutions at Your Door Step!




Smart-30 Series PVC Card Printers



A Direct to Card (DTC) Printer with Several Competitive Features

Smart 30 Printer Produces a Clear Monochrome Text, Barcode & QR Code Impression and Prints a Vivid Color Image with Excellent Quality, Securing the Printing with Overlay and/ Or Ultra Violet (UV) Layers on PVC Card, PET Card, Contact Smart Card, Contactless Smart Card (RFID), Magnetic Stripe Card.





Smart-30 Series PVC Card Printers

Specifications

PRINTING

- Print Type : Dye-Sublimation
- Print Area : Edge to Edge
- Resolution : 300dpi
- Dual Sided Printing : (Optional in 30S/ Built in 30D)

CARD

- Card Feeding : Automatic
- Card Size : ISO CR80 (54mm x 86mm / 2.12"x 3.38")
- Card Thickness : 0.38mm (15mil), 0.76mm (30mil)
- Card Type : PVC, PET, Composite PVC

PRINT SPEED

- Monochrome : 5 sec./card (720 cards/hour)
- YMCKO : 28 sec./card (128 cards/hour)
- YMCKOK : 34 sec./card (106 cards/hour)

CAPACITY

- Input Hopper : 80 cards
- Output Hopper : 25 cards





Smart-30 Series PVC Card Printers



Specifications

SYSTEM

- Memory : 64MB RAM
- Control Panel : 1 LED Button
- Supported Platforms : Microsoft Windows 2000/ 2003/ XP/ Vista/ 7/ 8/, Mac OS, Linux
- Communication : USB, Ethernet (Option)
- Power Supply : Free Voltage (AC100/ 200V. 50~60Hz)
- Power Consumption : 48
- Temperature/Humidity : 15~35 C / 35~70%

DIMENSIONS

- Millimeter (WxLxH) : 172 x 377 x 190
172 x 472 x 190
- Inch (WxLxH) : 6.8 x 18.6 x 7.5
6.8 x 14.8 x 7.5

WEIGHT

- Kg/lbs : 3.4 / 7.5
4.2 / 9.5

ENCODING OPTIONS

- Magnetic : ISO7811 (Track I, II, III Read/ Write, HiCo/ LoCo), JIS II
- Contact : ISO 7816 (ID-1)
- Contactless : MIFARE, ISO 14443 (Type A/ B), ISO 15693, DESFIRE, iCLASS





Smart-30 Series PVC Card Printers



Consumables

COLOR RIBBON



YMCKO

Full Color Ribbon with
Resin Black & Overlay



250 Cards/Roll

YMCKOK

Full Color Ribbon with
Resin Black, Overlay
& Black for Back Side



200 Cards/Roll

YMCFKO

Full Color Ribbon with
UV Panel, Resin Black
and Overlay



200 Cards/Roll

HYMCKO

Half Panel Size Color
Ribbon with Resin Black
and Overlay



350 Cards/Roll

MONO RIBBON



600/ Roll

Only for KO

1200/ Roll

For All Mono Ribbons



Black with Overlay

Red

Black

Metallic Gold

White

Metallic Silver

Blue

Scratch-Off



CLEANING KIT

Head Cleaning Pen

Adhesive Card

Long T-Card

Cleaning Swab



Smart-30 Series PVC Card Printers



Card Designing Software



FREE OF COST, Smart Design Optimal design software for free to design ID Cards,
Can be connected with Database connection





Smart-30 Series PVC Card Printers



PVC Card Applications

- Employee Card
- Student Card
- Patient Card
- Business Card
- Visitor Card
- Security Card
- Access Control Badge
- Transit Pass
- Membership Card
- Customer Loyalty Card
- Banks Card
- Payment Card



Always Ready to Serve You with Quality !



Suite#232, 2nd Floor, Al-Rehman Trade Center
Shahra-e-Liaquat Near Chamber of Commerce
Karachi 74000



+92-21-32470013



cs@aks-solutions.com



www.aks-solutions.com



AksSolutionsPakistan



Aks-Solutions



@Aks_Solutions



Aks Solutions